

File No. J11011/343/2007-IA.II.(I)]  
**Government of India**  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

Indira Paryavaran Bhawan  
JorBagh Road, Aliganj,  
New Delhi - 110003  
E-mail: dirind-moefcc@gov.in  
Tel: 011-24695368  
Dated: 01.12.2020

To

Shri Ankit Jain  
Director  
M/s ARL Infratech Ltd p  
Akshat House, A-27/13-A,  
Kanti Chandra Road, Bani Park, Jaipur-302016  
Rajasthan

**Subject:** Expansion in production capacity of Asbestos & Non Asbestos Cement Sheets and Pressure Pipes from 1,60,000 MTPA to 2,40,000 MTPA by **M/s ARL Infratech Ltd** (Formerly M/s. Ankit Roofings Ltd) located at Location: Khasra Nos. 718, 719, 720, 721, 885/722 & 717(part), Village Dahami Khurd, Bagru, Tehsil Sanganer, **District Jaipur, Rajasthan - Environment Clearance- regarding.**

Sir,

This has reference to your online application vide proposal no. IA/RJ/IND/4374/2007 dated 5<sup>th</sup> February 2020 in prescribed Form – 2 along with EIA Report and other documents to seek Environmental Clearance (EC) under the provisions of the EIA Notification, 2006 for the project mentioned above. The proposed project activity is listed at Sl. No. 4 (c) Asbestos Milling & Asbestos based products under Category “A” in the schedule of EIA Notification, 2006 and the project is appraised at the Central level.

2. The proposal of M/s ARL Infratech Ltd (Formerly, M/s Ankit Roofing Ltd.) for expansion of Asbestos & Non Asbestos Cement Sheets and Pressure Pipes from 160,000 TPA to 240,000 TPA located in Village Dahami Khurd, Bagru, Tehsil - Sanganer, District - Jaipur, State Rajasthan. The proposal was initially received in the Ministry on 31.01.2019 & subsequently, on account of deficiencies, it was resubmitted on 14.02.2019, 19.03.2019 & 06.06.2019 for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Reconstituted Expert Appraisal Committee (Industry) [EAC (I)] during its 8<sup>th</sup> meeting held 26.06.2019 and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance Accordingly, the Ministry has prescribed ToRs to the project on 03.02.2020 vide Lr. No. IA-J11011/343/2007-IA.II (I).

**Details submitted by project proponent**

3. The existing project was granted EC to M/s Ankit Roofings Ltd vide Lr. No. J-11011/343/2007 -IA.II (I) dated 27.08.2007. Consequent upon name change of the company, the Ministry changed the name of the company in the EC letter vide letter no. J11011/343/2007-IA.II(I) dated 24.01.2020.
4. The Status of compliance of earlier EC through Regional Office, Lucknow vide letter no. IV/Env/R/IND-74/553/2007/172 dated 15.05.2019 and action taken report over non-compliances have been seen.

5. The proposed capacity for different products for site area is as below:

Name of Unit	Existing Capacity (MTPA)	Additional Capacity (MTPA)	Capacity after expansion (MTPA)
Asbestos & Non-Asbestos Cement Sheets & Pressure Pipes	1,60,000	80,000	2,40,000

6. The total land area required for the project is 72,263 sq.m (existing: 35,100 sq. m & proposed expansion: 37,163 sq.m). The land for existing project comprising of Khasra Nos. 719, 720, and 721 has been duly converted for industrial use. The land for proposed expansion project comprising of Khasra no. 718 admeasuring 6400 sq.m., Khasra no. 717(part) admeasuring 10,818 sq. m. & Khasra no. 885 admeasuring 19,945 sq. m. are duly converted for industrial use. No river or water body passes through the project area. Sadariya Nadi (seasonal) is located at ~1.4 km towards South of the project site and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
7. The topography of the project area is flat and reported to lie between 26°48'56.11"N" to 26°49'4.95"N Latitude and 75°34'13.60" to 75°34'26.78" E Longitude in Survey of India topo sheet No. 45 N/9 at an elevation of 360 m AMSL. The ground water table reported to range between 27 to 30 m below the land surface during the post-monsoon season and 30 to 35 m below the land surface during the pre-monsoon season.
8. No National Park/Wildlife Sanctuary/Biosphere Reserve/Tiger Reserve/Elephant Reserve etc. are reported to be located in the study area. The area also does not report to corridor for Schedule-I fauna. Pavo Cristatus (Schedule I) i.e. Indian Peafowl is reported from the buffer area. Wildlife conservation plan has been submitted to Dy. Conservator of forest, Jaipur for authentication and the same is under process.
9. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process are as below:

Sl.No.	Raw material	Nature	Unit	Consumption (TPD)		Source of Supply	Mode of Transport
				Existing quantity (for asbestos based product)	Proposed quantity (for asbestos & non-asbestos based product)		
Asbestos & Non-asbestos cement sheet& pipe							
1	Asbestos Fibre*	Solid	MTPD	37	55	Imported directly from Countries like Russia, Brazil and Kazakhstan, etc.	By ship to the port and by Road from Port.



Sl.No.	Raw material	Nature	Unit	Consumption (TPD)		Source of Supply	Mode of Transport
				Existing quantity (for asbestos based product)	Proposed quantity (for asbestos & non-asbestos based product)		
2	PVA Fibre**		MTPD	-	3.3	Imported	By Ship to port and by road from port.
3	Fly-Ash	Solid	MTPD	119	178	Fly Ash is obtained from Thermal Power Plants in Kota, Suratgarh and Dadri.	By Road
4	Cement	Solid	MTPD	238	- 358	Cement is purchased directly from manufacturers majorly from Rajasthan only like Wonder, Lafarge & Ultra-tech cement.	By Road
5.	Others (Pulp / Dry Waste etc.)	Solid	MTPD	63	95	Purchased locally from Indian market	By Road
6.	Additives (Performance enhancers) **	Liquid	MTPD	-	0.067	Purchased locally from Indian market	By Road

\* used only in asbestos based cement sheet & pipe

\*\* used only in non-asbestos based cement sheet & pipe

10. Waste generation & management details are as given below.

S.No	Type			Quantity	Management
1.	Liquid	Domestic		18 KLD	Treatment in existing STP capacity. Approximately 11 KLD for process water and 6 KLD for green belt development shall be catered to by the treated domestic wastewater.
		Effluent		No trade effluent generated	-
2.	Solid	Process solid Waste (Broken sheets & pipes)	Existing	1950 TPA	Total waste generated will be 2880 TPA. Hazardous waste as per HOWR, 2016. Asbestos containing residues
			Proposed	930 TPA	The same are being and will be pulverized and recycled in the closed-circuit process.
					The same is being and will be disposed of as per SWMR, 2016
		Municipal Solid waste	Existing	53 TPA	
			Proposed	15 TPA	
			Dry waste from APCD	0.5 MT/Month	

11. The targeted production capacity after expansion of asbestos & non-asbestos cement sheets & pressure pipes will be 2,40,000 TPA. Also an additional one D.G. Set of capacity 330 KVA is proposed. The majority of raw material for the asbestos & non-asbestos cement sheets & pressure pipes will be sourced from open market and the majority of raw material is being/will be transported through Rail/Road.
12. The total water requirement of the project is as 90 m<sup>3</sup> /day (No change), out of which 75m<sup>3</sup> /day of fresh water requirement will be obtained from the existing bore well and the remaining requirement of 15 m<sup>3</sup> /day recycled water will be met from the STP treated water.
13. The total water requirement of the project is as 90 m<sup>3</sup> /day (No change), out of which 75m<sup>3</sup> /day of fresh water requirement will be obtained from the existing bore well and the remaining requirement of 15 m<sup>3</sup> /day recycled water will be met from the STP treated water.
14. The total power requirement of the project is estimated as 1500 kVA (Existing 1500 Kva + Additional Nil) which is being / will be sourced from JVVNL GSS & D.G. Set



(for back-up) {existing 660 KVA \* 3 nos.; proposed 330 KVA \*1 no}

15. Summary of the Baseline Environmental Studies is as given below.

Period	December 2018 to February, 2019
AAQ parameters at eight (8) locations	PM <sub>2.5</sub> = 26.3 µg/m <sup>3</sup> to 51.0 µg/m <sup>3</sup> PM <sub>10</sub> = 47.8 µg/m <sup>3</sup> to 94.7 µg/m <sup>3</sup> SO <sub>2</sub> = 5.7 µg/m <sup>3</sup> to 11.7 µg/m <sup>3</sup> NO <sub>x</sub> = 11.8 µg/m <sup>3</sup> to 24.1 µg/m <sup>3</sup> CO = 0.7 mg/m <sup>3</sup> to 2.0 mg/m <sup>3</sup>
AAQ modelling	PM <sub>10</sub> = 7.20183 µg/m <sup>3</sup> SO <sub>2</sub> = 0.09227 µg/m <sup>3</sup> NO <sub>x</sub> = 6.8392 µg/m <sup>3</sup> CO = 0.00387 mg/m <sup>3</sup>
Ground water quality at eight (8) locations	pH: 7.34 to 8.24, Total Hardness: 100 to 4250 mg/l, Chlorides: 60 to 5502 mg/l, Fluoride: 0.5 to 1.9 mg/l. Heavy metals are within the limits.
Surface water quality of study area could not be assessed as water bodies were found to be dry	-
Noise levels	51.3 to 68.2 dB (A) for daytime and 39 to 52 dB (A) for nighttime

16. The expansion project will be executed in the existing plant premises & additional land which is already acquired by the company and thus no R & R is involved.
17. It has been reported that a total of 2880 TPA of processed solid waste (Broken sheets & pipes), which will be pulverized and recycled in the closed-circuit process. 0.5 MT/Monty of dry waste from APCD recycled into the process. It has been envisaged that an area of 23,847 sq.m (33.0 %) land will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.
18. It has been reported that the Consent to Operate from the Rajasthan State Pollution Control Board (RSPCB) has been obtained vide letter no. F(MUID)/JAIPUR(Sanganer)/144(1)/2018-2019/7337-7339, validity of CTO is up to 31.01.2023 and Authorization under Hazardous Waste (Management & Transboundary Movement) Rules, 2016, vide letter no. F(HSW) /Jaipur(Sanganer) /6(1)/2009-2010/5389-5391 dated 12.12.2018. The authorization is valid upto 31.07.2021.
19. The public hearing of the project was held on 06.11.2019 at 11:00 AM at Rajeev Gandhi Sewakendra, Village Dahmikalan, Bagru, Tehsil Sanganer, Jaipur (Raj) under the chairmanship of Shri Beerbal Singh, Additional District Magistrate (A.D.M), Jaipur City (North) for expansion of expansion of Asbestos & Non Asbestos Cement Sheets and Pressure Pipes from 1, 60,000 MTPA to 2, 40,000 MTPA. No written suggestion and/or complaint regarding the public hearing for the proposed expansion project was received either during the public hearing or in the RSPCB Office. The issues raised during public hearing are employment, water, CER and environmental management. An amount of Rs13.0 Lac (of total capital cost i.e. Rs. 13.0 Cr) has been earmarked for Corporate Environmental Responsibility based on public hearing issues.
20. The capital cost of the expansion project is Rs. 13.0 Cr and the capital cost for environmental protection measures is proposed as Rs. 78 Lac. The annual recurring cost towards the environmental protection measures is proposed as Rs. 9.5 Lac/annum.



Employment generation from the expansion will be for 100 persons. The total employment generation will be for 450 persons including existing 350 persons.

21. About, 11,583 sq.m. of the existing plant area (35,100 sq.m.) has already been developed under greenbelt & plantation. An area covering 23,847 sq.m. i.e. 33 % of the total area after expansion (72,263 sq.m.) will be developed under greenbelt as per CPCB/ MoEF&CC, New Delhi guidelines.
22. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.
23. Name of the Consultant: Paramarsh Servicing Environment & Development (S.No. 147, List of ACOs with their Certificate / Extension Letter no. Rev. 3, Oct. 14, 2020).

#### **Observations of the Committee**

24. The proposal was considered in the Re-constituted EAC (Industry-I) meetings held during 24-25<sup>th</sup> February 2020, 25-26<sup>th</sup> June, 2020 and 27-29<sup>th</sup> October 2020. The Committee noted the following during the meeting held on 27-29<sup>th</sup> October 2020:
  - i. The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data and incremental GLC due to the proposed project are within NAAQ standards. The Committee has also deliberated on the public hearing issues as well as action plan to address the issues raised during the public hearing and found satisfactory. The committee was also satisfied with the action taken report on the observed non-compliances (usage of PPE, green belt development and monitoring of particulate matter in work zone) reported in the certified compliance report of Regional Office.
  - ii. Additional information submitted by the project proponent was also found to be satisfactory, and addressing the concerns of the Committee.

#### **Recommendations of the Committee**

25. In view of the foregoing and after deliberations, the committee recommended the instant proposal for grant of Environment Clearance under the provisions of EIA Notification, 2006 subject to the following specific conditions and general conditions as per the Ministry's Office Memorandum No. 22-34/2018-III dated 9/8/2018 pertaining to asbestos based industries.

##### **A. Specific conditions**

- i. Full face masks of reputed makes shall be provided to the workers in the plant.
- ii. Asbestos fiber emission shall be restricted to 0.1 fiber/cc for eight-hour exposure.
- iii. Occupational health studies for all staff once in six months shall be carried out.
- iv. Fiber monitoring shall be carried out at the work zone and around the premises once in three months.
- v. Insurance under PLI Act shall be obtained and a copy of the same shall be submitted to the concerned regulatory authorities.
- vi. 100 % water consumed annually shall be harvested and recharged with monitoring facilities.
- vii. The bag filters installed should achieve the norms of 0.1 fibre/cc.
- viii. PM level shall be less than 30 mg/Nm<sup>3</sup>



## **B. General conditions**

### **I. Statutory compliance:**

- i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.

### **II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions including asbestos fibre count in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited NIOH / ITRC / NCB or any other approved agency.
- iii. The project proponent shall provide appropriate dust collectors to Fibre mill, Bag opening device (BOD), Cement and Fly ash silos. Bag filters followed by wet washer shall be provided at automatic bag opening machine, bag shredder, fibre mill and to cement silo to collect the dust and recycle the same into the process.
- iv. High Efficiency Particulate Air filters (HEPA) preceded by primary filters shall be installed on all asbestos contaminated areas.
- v. Total dust emission limit of 2 mg/Nm<sup>3</sup> as notified under the Environment (Protection) Act, 1986 shall be complied. Adequate measures shall be adopted to control the process emission and ensure that the stack emission of asbestos fibre shall not exceed the emission limit of 0.2 fibre/cc. Asbestos fibre in work zone environment shall be maintained within 0.1 fibre/cc.
- vi. Provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the steel plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Channelize through hood with proper suction arrangement, bag filter and stack the fugitive emissions generated from hopper of Jaw crusher and pulverizer.
- x. Separate truck parking area shall be provided and monitor vehicular emissions at regular interval.
- xi. Bring the cement in closed tankers, fly ash in covered trucks and asbestos in impervious bags opening inside a closed mixer.
- xii. The bags containing asbestos fibre including damaged bags, if any shall be stored in enclosed area.



- xiii. Place the asbestos contaminated materials (non-encapsulated) for off-site removal in sealed packaging such as double sealed heavy duty (700 gauge) plastic bags, suitably labelled.
- xiv. Empty and damaged fibre bags shall be shredded into fine particles in a bag-shredder and recycled into the process.
- xv. AC sheets shall be piled in wet condition only.
- xvi. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport.
- xvii. Proper housekeeping shall be maintained within the plant premises. Process machinery, exhaust and ventilation systems shall be laid in accordance with Factories Act. Better housekeeping practices shall be adopted for improvement of the environment within the work environment also. These include:
  - a. All monitoring transfer points shall be connected to dust extraction system.
  - b. Leakages or dust from machines and ducts shall be plugged.
  - c. Floor shall be cleaned by vacuum cleaner only and the dust collected shall be reused in the process.
  - d. Enclosed belt conveyer shall be used instead of manual transportation of asbestos within the premises
- xviii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

### **III. Water quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 913 (E) dated 24<sup>th</sup> October, 1989 as amended time to time (Asbestos) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. Adhere to 'Zero Liquid Discharge'
- iv. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- v. Water meters shall be provided at the inlet to all unit processes in the plants.

### **IV. Noise monitoring and prevention**

Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation And Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

### **V. Energy Conservation measures**

Energy conservation measures may be adopted such as adoption of solar energy and provision of LED lights etc., to minimize the energy consumption.



## **VI. Waste management**

- i. The PP shall ensure that the entire solid waste generated including process rejects, cement, fly ash, dust from bag filters and empty asbestos bag shall be recycled back in the manufacturing process. There will be no solid waste disposal outside the plant premises. Asbestos fibres which cannot be further recycled due to contamination of iron dust shall be stored in HDPE lined secured landfill. The disposal facilities for asbestos waste shall be in accordance with the Bureau of Indian Standard Code.
- ii. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- iii. Kitchen waste shall be composted or converted to biogas for further use.

## **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

## **VIII. Public hearing and Human health issues**

- i. There shall be no manual handling/opening of asbestos fibre bags. The company shall install fully automatic asbestos fibre debagging system.
- ii. To educate the workers, all the work places where asbestos dust may cause a hazard shall be clearly indicated as a dust exposure area through the use of display signs which identifies the hazard and the associated health effects.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Regular medical examination of the workers and health monitoring of all the employees shall be carried out and if cases of asbestosis are detected, necessary compensation shall be arranged under the existing laws. The proponent shall create in-house facilities for spirometry test. A competent occupational health physician shall be appointed to carry out medical surveillance. Occupational health of all the workers shall be monitored for lung function test, Spirometry test, chest x-ray, sputum for acid-fast-bacilli (AFC) and asbestos body (AB), urine for sugar and albumen, blood tests for TLC, DLC, ESR, Hb and records maintained for at least 40 years from the beginning of the employment or 15 years after the retirement or cessation of employment whichever is later. Occupational Health Surveillance shall be carried out as per the directives of the Hon'ble Supreme Court including the recent Kalyaneswari case
- v. The project proponent shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- vi. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vii. The commitment made by the project proponent to the issues raised during Public Hearing shall be implemented by the proponent



## **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.

## **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.



- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  - x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  - xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
  - xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
  - xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  - xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
26. The Ministry considered the above recommendation of EAC and hereby decided to accord Environmental Clearance for proposed expansion of the project mentioned in the subject to **M/s ARL Infratech Ltd** with specific and general conditions mentioned at para 25 above.

This issues with the approval of competent authority

(A.K. Agrawal)  
Director

**Copy to:-**

- 1) **Secretary**, Department of Environment, Government of Rajasthan, Secretariat Jaipur.
- 2) **Deputy Director General of Forests(C)**, Ministry of Environment, Forest and Climate Change, Regional Office (CZ), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector "H", Aliganj, Lucknow – 226020.
- 3) **Chairman**, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office complex, East Arjun Nagar, New Delhi-1100032.
- 4) **Member Secretary**, Central Ground Water Authority, 18/11, Jamnagar House, Man Singh Road, New Delhi-110011.
- 5) **Chairman**, Rajasthan State Pollution Control Board, 4, Institutional area, Jhalana, Doongri, Jaipur.
- 6) **District Collector**, Rajsamand District, State Rajasthan.
- 7) Guard File/Record File/Monitoring File.
- 8) MoEF&CC Website.

(A.K. Agrawal)  
Director